INDEX TO AUTHORS

BAILEY, G. HOWARD, and GARDNER, RAYMOND E. The tissue specificity of brain and medullated nerves as shown by passive anaphylaxis in guinea pigs, 499

BAYLISS, MILWARD. Studies on the mechanism of vomiting produced by staphylococcus enterotoxin, 669

BLALOCK, ALFRED. See MASON, ROBINSON, and BLALOCK, 289

BOURDILLON, JAQUES, and LENNETTE, EDWIN H. Electrophoresis of the complement-fixing antigen of human influenza virus, 11

CASALS, J. Influence of age factors on immunizability of mice to rabies virus, 453

—. Influence of age factors on susceptibility of mice to rabies virus, 445

CLARK, PHILIP JOHNSON. See HUGGINS and CLARK, 747

COBURN, ALVIN F. See WEST and COBURN, 91

COGGESHALL, L. T. The occurrence of malaria antibodies in human serum following induced infection with *Plasmodium knowlesi*, 21

COOKE, ROBERT A. See SHERMAN, HAMPTON, and COOKE, 611

CRONKITE, ALFRED E., and LACK, ARTHUR R. Primary pulmonary coccidioidomycosis. Experimental infection with *Coccidioides immitis*, 167

DARBY, WILLIAM J. See DAY, LANGSTON, DARBY, WAHLIN, and MIMS, 463

DAY, PAUL L., LANGSTON, WILLIAM C., DARBY, WILLIAM J., WAHLIN, JOEL G., and MIMS, VIRGINIA. Nutritional cytopenia in monkeys receiving the Goldberger diet, 463

DETTWILER, HERMAN A., HUDSON, N. PAUL, and WOOLPERT, ORAM C. The comparative susceptibility of fetal and postnatal guinea pigs to the virus of epidemic influenza, 623

DI SOMMA, A. A. See LANDSTEINER and DI SOMMA, 361

EATON, MONROE D., and PEARSON, HAROLD E. Quantitative aspects of homologous and heterologous active immunity to strains of the virus of epidemic influenza, 635

ENDERS, JOHN F. See FELLER, ENDERS, and WELLER, 367

FELLER, A. E., ENDERS, JOHN F., and WELLER, T. H. The prolonged coexistence of vaccinia virus in high titer and living cells in roller tube cultures of chick embryonic tissues, 367

FRANCIS, THOMAS, JR., and MOORE, ALICE E. A study of the neurotropic tendency in strains of the virus of epidemic influenza, 717

—. See SALK, LAVIN, and FRANCIS, 729

FRIEDEWALD, WILLIAM F. Identity of "inhibitor" and antibody in extracts of virus-induced rabbit papillomas, 175

— and KIDD, JOHN G. Union *in vitro* of the papilloma virus and its antibody, 531

GALLAGHER, FRED W., and WOOLPERT, ORAM C. Propagation of vaccinia virus in the rabbit fetus, 99

GARD, SVEN. Encephalomyelitis of mice. II. A method for the measurement of virus activity, 69

—. See THEILER and GARD, 49, 79

GARDNER, RAYMOND E. See BAILEY and GARDNER, 499

GOEBEL, WALTHER F. Studies on antibacterial immunity induced by artificial antigens. II. Immunity to experimental pneumococcal infection with antigens containing saccharides of synthetic origin, 33

GOLDBLATT, HARRY. See GYÖRGY and GOLDBLATT, 1

GYÖRGY, PAUL, and GOLDBLATT, HARRY. Choline as a member of the vitamin B_2 complex, 1

HAMBURGER, MORTON, and ROBERTSON, O. H. Studies on the pathogenesis of experimental pneumococcus pneumonia in the dog. I. Secondary pulmonary lesions. Relationship of bronchial obstruction and distribution of pneumococci to their inception, 261

—. See ROBERTSON and HAMBURGER, 275

HAMPTON, STANLEY F. See SHERMAN, HAMPTON, and COOKE, 611

HOAGLAND, CHARLES L., LAVIN, GEORGE I., SMADEL, JOSEPH E., and RIVERS, THOMAS M. Constituents of elementary bodies of vaccinia. II. Properties of nucleic acid obtained from vaccine virus, 139

—, WARD, S. M., SMADEL, JOSEPH E., and RIVERS, THOMAS M. Constituents of elementary bodies of vaccinia. III. The effect of purified enzymes on elementary bodies of vaccinia, 685

HODES, H. L., WEBSTER, L. T., and LAVIN, GEORGE I. The use of ultraviolet light in preparing a non-virulent antirabies vaccine, 437

HORSFALL, FRANK L., JR., and LENNETTE, EDWIN H. The synergism of human influenza and canine distemper viruses in ferrets, 247

—. See LENNETTE and HORSFALL, 233

—. See WEIR and HORSFALL, 595

HUDSON, N. PAUL. See DETTWILER, HUDSON, and WOOLPERT, 623

HUGGINS, CHARLES, and CLARK, PHILIP JOHNSON. Quantitative studies of prostatic secretion. II. The effect of castration and of estrogen injection on the normal and on the hyperplastic prostate glands of dogs, 747

JOBLING, JAMES W. See SHEMIN, SPROUL, and JOBLING, 697

JUNGEBLUT, CLAUS W., and SANDERS, MURRAY. Studies of a murine strain of poliomyelitis virus in cotton rats and white mice, 407

KAY, CALVIN F. The mechanism by which experimental nephritis is produced in rabbits injected with nephrotoxic duck serum, 559

KIDD, JOHN G. See FRIEDEWALD and KIDD, 531

KING, LESTER S. Experimental encephalitis. Some factors affecting infection with certain neurotropic viruses, 573

KLENDSHOJ, NIELS C. See WITEBSKY and KLENDSHOJ, 663

KOHLSTAEDT, K. G., and PAGE, IRVINE H. The liberation of renin by perfusion of kidneys following reduction of pulse pressure, 201

LACK, ARTHUR R. See CRONKITE and LACK, 167

LANDSTEINER, K., and DI SOMMA, A. A. Studies on the sensitization of animals with simple chemical compounds. VIII. Sensitization to picric acid; subsidiary agents and mode of sensitization, 361

LANGSTON, WILLIAM C. See DAY, LANGSTON, DARBY, WAHLIN, and MIMS, 463

LAVIN, GEORGE I. See HOAGLAND, LAVIN, SMADEL, and RIVERS, 139

—. See HODES, WEBSTER, and LAVIN, 437

—. See SALK, LAVIN, and FRANCIS, 729

LENNETTE, EDWIN H., and HORSFALL, FRANK L., JR. Studies on epidemic influenza virus. The nature and properties of the complement-fixing antigen, 233

—. See BOURDILLON and LENNETTE, 11

—. See HORSFALL and LENNETTE, 247

LEO, SIDNEY D. See PRINZMETAL, LEWIS, and LEO, 763

LEWIS, HARVEY A. See PRINZMETAL, LEWIS, and LEO, 763

LUCKÉ, BALDUIN, and SCHLUMBERGER, H. The effect of temperature on the growth of frog carcinoma. I. Direct microscopic observations on living intraocular transplants, 321

— and —. Heterotransplantation of frog carcinoma; character of growth in the eyes of alien species, 311

MACLEOD, COLIN M. The inhibition of the bacteriostatic action of sulfonamide drugs by substances of animal and bacterial origin, 217

MADDEN, S. C. See ROBSCHEIT-ROBBINS, MADDEN, ROWE, TURNER, and WHIPPLE, 479

MANSFIELD, JAMES S. See WEEKS, STEINER, MANSFIELD, and VICTOR, 345

MASON, M. F., ROBINSON, C. S., and BLALOCK, ALFRED. Studies on the renal arterial blood pressure and the metabolism of kidney tissue in experimental hypertension, 289

MIMS, VIRGINIA. See DAY, LANGSTON, DARBY, WAHLIN, and MIMS, 463

MONKE, J. VICTOR, and YUILE, CHARLES L. The renal clearance of hemoglobin in the dog, 149

MOORE, ALICE E. See FRANCIS and MOORE, 717

NELSON, JOHN B. Infectious catarrh of the albino rat. I. Experimental transmission in relation to the rôle of *Actinobacillus muris*, 645

NELSON, JOHN B. Infectious catarrh of the albino rat. II. The causal relation of coccobacilliform bodies, 655

OLITSKY, PETER K. A transmissible agent (Theiler's virus) in the intestines of normal mice, 113

PAGE, IRVINE H. The vasoconstrictor action of plasma from hypertensive patients and dogs, 301

—. See KOHLSTAEDT and PAGE, 201

PEARSON, HAROLD E. See EATON and PEARSON, 635

PICKELS, E. G. See SMADEL, PICKELS, SHEDLOVSKY, and RIVERS, 523

PRINZMETAL, MYRON, LEWIS, HARVEY A., and LEO, SIDNEY D. The etiology of hypertension due to complete renal ischemia, 763

RIVERS, THOMAS M. See HOAGLAND, LAVIN, SMADEL, and RIVERS, 139

—. See HOAGLAND, WARD, SMADEL, and RIVERS, 685

—. See SMADEL, PICKELS, SHEDLOVSKY, and RIVERS, 523

—. See SMADEL, WARD, and RIVERS, 129

ROBERTSON, O. H., and HAMBURGER, MORTON. Studies on the pathogenesis of experimental pneumococcus pneumonia in the dog. II. Secondary pulmonary lesions. Their production by intratracheal and intrabronchial injection of fluid pneumonic exudate, 275

—. See HAMBURGER and ROBERTSON, 261

ROBINSON, C. S. See MASON, ROBINSON, and BLALOCK, 289

ROBSCHEIT-ROBBINS, F. S., MADDEN, S. C., ROWE, A. P., TURNER, A. P., and WHIPPLE, G. H. Hemoglobin and plasma protein. Simultaneous production during continued bleeding as influenced by diet protein and other factors, 479

ROWE, A. P. See ROBSCHEIT-ROBBINS, MADDEN, ROWE, TURNER, and WHIPPLE, 479

SALK, JONAS E., LAVIN, GEORGE I., and FRANCIS, THOMAS, JR. The antigenic potency of epidemic influenza virus following inactivation by ultraviolet radiation, 729
SANDERS, MURRAY. See JUNGEBLUT and SANDERS, 407
SCHLUMBERGER, H. See LUCKÉ and SCHLUMBERGER, 311, 321
SCHROEDER, HENRY A., and STEELE, J. MURRAY. The behavior of renal blood flow after partial constriction of the renal artery, 707
SHAUGHNESSY, HOWARD J., and ZICHIS, JOSEPH. Infection of guinea pigs by application of virus of lymphocytic choriomeningitis to their normal skins, 331
SHEDLOVSKY, THEODORE, and SMADEL, JOSEPH E. Electrophoretic studies on elementary bodies of vaccinia, 511
—. See SMADEL, PICKELS, SHEDLOVSKY, and RIVERS, 523
SHEMIN, DAVID, SPROUL, E. E., and JOBLING, JAMES W. Studies of the transmissible agent of the Rous Chicken Sarcoma I. Precipitation with basic proteins, 697
SHERMAN, WILLIAM B., HAMPTON, STANLEY F., and COOKE, ROBERT A. The placental transmission of antibodies in the skin sensitive type of human allergy, 611
SMADEL, JOSEPH E., PICKELS, E. G., SHEDLOVSKY, THEODORE, and RIVERS, THOMAS M. Observations on mixtures of elementary bodies of vaccinia and coated collodion particles by means of ultracentrifugation and electrophoresis, 523
— and WALL, M. J. A soluble antigen of lymphocytic choriomeningitis. III. Independence of anti-soluble substance antibodies and neutralizing antibodies, and the rôle of soluble antigen and inactive virus in immunity to infection, 389
SMADEL, JOSEPH E., WARD, S. M., and RIVERS, THOMAS M. Infectious myxomatosis of rabbits. II. Demonstration of a second soluble antigen associated with the disease, 129
—. See HOAGLAND, LAVIN, SMADEL, and RIVERS, 139
—. See HOAGLAND, WARD, SMADEL, and RIVERS, 685
—. See SHEDLOVSKY and SMADEL, 511
SPROUL, E. E. See SHEMIN, SPROUL, and JOBLING, 697
STEELE, J. MURRAY. See SCHROEDER and STEELE, 707
STEINER, ALFRED. See WEEKS, STEINER, MANSFIELD, and VICTOR, 345

THEILER, MAX, and GARD, SVEN. Encephalomyelitis of mice. I. Characteristics and pathogenesis of the virus, 49
— and —. Encephalomyelitis of mice. III. Epidemiology, 79
TURNER, A. P. See ROBSCHEIT-ROBBINS, MADDEN, ROWE, TURNER, and WHIPPLE, 479

VICTOR, JOSEPH. See WEEKS, STEINER, MANSFIELD, and VICTOR, 345

WAHLIN, JOEL G. See DAY, LANGSTON, DARBY, WAHLIN, and MIMS, 463
WALL, M. J. See SMADEL and WALL, 389
WARD, S. M. See HOAGLAND, WARD, SMADEL, and RIVERS, 685
—. See SMADEL, WARD, and RIVERS, 129
WEBSTER, L. T. See HODES, WEBSTER, and LAVIN, 437
WEEKS, DAVID M., STEINER, ALFRED, MANSFIELD, JAMES S., and VICTOR, JOSEPH. The depressor effect of spleno-reno-pexy on hypertension due to renal ischemia, 345
WEIR, JOHN M., and HORSFALL, FRANK L., JR. The recovery from patients

with acute pneumonitis of a virus causing pneumonia in the mongoose, 595
WELLER, T. H. See FELLER, ENDERS, and WELLER, 367
WEST, RANDOLPH, and COBURN, ALVIN F. The relationship of sulfapyridine, nicotinic acid, and coenzymes to the growth of *Staphylococcus aureus*, 91
WHIPPLE, G. H. See ROBSCHEIT-ROBBINS, MADDEN, ROWE, TURNER, and WHIPPLE, 479
WITEBSKY, ERNEST, and KLENDSHOJ, NIELS C. The isolation of the blood group specific B substance, 663
WOOLPERT, ORAM C. See DETTWILER, HUDSON, and WOOLPERT, 623
—. See GALLAGHER and WOOLPERT, 99

YUILE, CHARLES L. See MONKE and YUILE, 149

ZICHIS, JOSEPH. See SHAUGHNESSY and ZICHIS, 331

INDEX TO SUBJECTS

ACID, nicotinic, sulfapyridine, and coenzymes, relation to growth of *Staphylococcus aureus*, 91
—, nucleic, obtained from vaccine virus, properties, 139
—, picric, mode of sensitization of animals to, and subsidiary agents, 361
Actinobacillus muris, rôle in transmission of infectious catarrh of albino rat, 645
Age factors, influence on immunizability of mice to rabies virus, 453
— factors, influence on susceptibility of mice to rabies virus, 445
Allergy, human, skin sensitive type, placental transmission of antibodies, 611
Anaphylaxis, passive, tissue specificity of brain and medullated nerves shown by, 499
Animal substances inhibiting bacteriostatic action of sulfonamide drugs, 217
Antibacterial immunity induced by artificial antigens, 33
Antibodies, anti-soluble substance, and neutralizing antibodies, independence, in lymphocytic choriomeningitis, and rôle of soluble antigen and inactive virus in immunity, 389
—, malaria, occurrence in human serum after induced infection with *Plasmodium knowlesi*, 21
—, placental transmission in skin sensitive type of human allergy, 611
Antibody and inhibitor in extracts of virus-induced rabbit papillomas, identity, 175
— and papilloma virus, union *in vitro*, 531
Antigen, complement-fixing, epidemic influenza virus, nature and properties, 233
Antigen, complement-fixing, human influenza virus, electrophoresis, 11
—, soluble, lymphocytic choriomeningitis, and inactive virus, rôle in immunity to infection, and independence of anti-soluble substance antibodies and neutralizing antibodies, 389
—, soluble, second, associated with infectious myxomatosis of rabbits, 129
Antigenic potency of epidemic influenza virus after inactivation by ultraviolet radiation, 729
Antigens, artificial, antibacterial immunity induced by, 33
Antirabies vaccine, non-virulent, use of ultraviolet light in preparation, 437
Arterial blood pressure, renal, and metabolism of kidney tissue, in hypertension, 289
Artery, renal, partial constriction, behavior of renal blood flow after, 707

BACTERIAL substances inhibiting bacteriostatic action of sulfonamide drugs, 217
Bacteriostatic action of sulfonamide drugs, inhibition by animal and bacterial substances, 217
Basic proteins, precipitation of transmissible agent of Rous Chicken Sarcoma I with, 697
Bleeding, continued, simultaneous production of hemoglobin and plasma protein during, influence of diet protein and other factors, 479
Blood flow, renal, behavior after partial constriction of renal artery, 707
— group specific B substance, isolation, 663
— plasma. *See* Plasma.

Blood pressure, renal arterial, and metabolism of kidney tissue, in hypertension, 289
— serum. *See* Serum.
Bodies, coccobacilliform, causal relation in infectious catarrh of albino rat, 655
—, elementary, of vaccinia, and coated collodion particles, mixtures, ultracentrifugal and electrophoretic studies, 523
—, elementary, of vaccinia, effect of purified enzymes, 685
—, elementary, of vaccinia, electrophoretic studies, 511
—, elementary, of vaccinia, properties of nucleic acid obtained from virus, 139
Brain and medullated nerves, tissue specificity shown by passive anaphylaxis, 499
Bronchial obstruction and distribution of pneumococci, relation to inception of secondary pulmonary lesions in pneumococcus pneumonia in dog, 261

CANCER, frog, growth, effect of temperature, direct microscopic observations on living intraocular transplants, 321
—, frog, heterotransplantation, character of growth in eyes of alien species, 311
Castration, effect on normal and hyperplastic prostate glands, 747
Catarrh, infectious, of albino rat, causal relation of coccobacilliform bodies, 655
—, infectious, of albino rat, transmission in relation to rôle of *Actinobacillus muris*, 645
Cells, living, and vaccinia virus in high titer, prolonged coexistence in roller tube cultures of chick embryonic tissues, 367
Centrifugation, ultra-, and electrophoresis, mixtures of elementary bodies of vaccinia and coated collodion particles studied by means of, 523
Chemical compounds, simple, sensitization of animals, 361
Choline as member of vitamin B_2 complex, 1
Choriomeningitis, lymphocytic, soluble antigen and inactive virus, rôle in immunity to infection, independence of anti-soluble substance antibodies and neutralizing antibodies, 389
—, lymphocytic, virus, infection by application to normal skins, 331
Coccidioides immitis, primary pulmonary infection, 167
Coccidioidomycosis, pulmonary, primary, infection with *Coccidioides immitis*, 167
Coccobacilliform bodies, causal relation in infectious catarrh of albino rat, 655
Coenzymes, sulfapyridine, and nicotinic acid, relation to growth of *Staphylococcus aureus*, 91
Collodion particles, coated, and elementary bodies of vaccinia, mixtures, ultracentrifugal and electrophoretic studies, 523
Complement-fixing antigen, epidemic influenza virus, nature and properties, 233
— antigen, human influenza virus, electrophoresis, 11
Cultivation, roller tube, chick embryonic tissues, prolonged coexistence of vaccinia virus in high titer and living cells, 367
Cytopenia, nutritional, in monkeys receiving Goldberger diet, 463

DEPRESSOR effect of spleno-renopexy on hypertension due to renal ischemia, 345
Diet, Goldberger, nutritional cytopenia in monkeys receiving, 463
— protein and other factors influencing simultaneous production of hemoglobin and plasma protein during continued bleeding, 479
Distemper, canine, and human influenza, viruses, synergism in ferrets, 247

Drugs, sulfonamide, bacteriostatic action inhibited by animal and bacterial substances, 217

ELECTROPHORESIS of complement-fixing antigen of human influenza virus, 11
— and ultracentrifugation, mixtures of elementary bodies of vaccinia and coated collodion particles studied by means of, 523
Electrophoretic studies on elementary bodies of vaccinia, 511
Embryonic tissues, chick, roller tube cultures, prolonged coexistence of vaccinia virus in high titer and living cells, 367
Encephalitis, factors affecting infection with neurotropic viruses, 573
Encephalomyelitis, mouse, characteristics and pathogenesis of virus, 49
—, mouse, epidemiology, 79
—, mouse, method for measurement of virus activity, 69
Enterotoxin, staphylococcus, mechanism of vomiting produced by, 669
Enzymes, purified, effect on elementary bodies of vaccinia, 685
Epidemic influenza virus, antigenic potency after inactivation by ultraviolet radiation, 729
— influenza virus, comparative susceptibility of fetal and postnatal guinea pigs, 623
— influenza virus, homologous and heterologous active immunity, 635
— influenza virus, nature and properties of complement-fixing antigen, 233
— influenza virus, neurotropic tendency, 717
Epidemiology, encephalomyelitis, mouse, 79
Estrogen injection, effect on normal and hyperplastic prostate glands, 747
Etiology of hypertension due to complete renal ischemia, 763
Exudate, pneumonic, fluid, intratracheal and intrabronchial injection producing secondary pulmonary lesions, in pneumococcus pneumonia in dog, 275
Eye, transplants, living, frog carcinoma, direct microscopic observations on effect of temperature on growth, 321
Eyes of alien species, character of growth of frog carcinoma in, 311

FETUS and postnatal guinea pig, comparative susceptibility to epidemic influenza virus, 623
—, rabbit, propagation of vaccinia virus in, 99

GLAND, prostate. *See* Prostate gland.
Goldberger diet, nutritional cytopenia in monkeys receiving, 463

HEMOGLOBIN and plasma protein, simultaneous production during continued bleeding as influenced by diet protein and other factors, 479
—, renal clearance in dog, 149
Heterologous and homologous active immunity to epidemic influenza virus, 635
Heterotransplantation of frog carcinoma, character of growth in eyes of alien species, 311
Homologous and heterologous active immunity to epidemic influenza virus, 635
Hyperplastic and normal prostate glands, effect of castration and estrogen injection, 747
Hypertension due to complete renal ischemia, etiology, 763
— due to renal ischemia, depressor effect of spleno-reno-pexy, 345
—, renal arterial blood pressure and metabolism of kidney tissue, 289
Hypertensive patients and dogs, vasoconstrictor action of plasma, 301

IMMUNITY, active, homologous and heterologous, to epidemic influenza virus, 635

Immunity, antibacterial, induced by artificial antigens, 33
— to lymphocytic choriomeningitis, rôle of soluble antigen and inactive virus, and independence of anti-soluble substance antibodies and neutralizing antibodies, 389
Immunizability of mice to rabies virus, influence of age factors, 453
Influenza, epidemic, virus, antigenic potency after inactivation by ultraviolet radiation, 729
—, epidemic, virus, comparative susceptibility of fetal and postnatal guinea pigs, 623
—, epidemic, virus, homologous and heterologous active immunity, 635
—, epidemic, virus, nature and properties of complement-fixing antigen, 233
—, epidemic, virus, neurotropic tendency, 717
—, human, and canine distemper, viruses, synergism in ferrets, 247
—, human, virus, complement-fixing antigen, electrophoresis, 11
Injection, estrogen, effect on normal and hyperplastic prostate glands, 747
—, intratracheal and intrabronchial, of fluid pneumonic exudate, producing secondary pulmonary lesions, in pneumococcus pneumonia in dog, 275
— of nephrotoxic duck serum in rabbits, mechanism of production of nephritis, 559
Intestines, mice, Theiler's virus in, 113
Ischemia, renal, complete, etiology of hypertension due to, 763
—, renal, hypertension due to, depressor effect of spleno-reno-pexy, 345

KIDNEY arterial blood pressure and metabolism of kidney tissue in hypertension, 289
— blood flow, behavior after partial constriction of renal artery, 707
— clearance of hemoglobin in dog, 149
Kidney ischemia, complete, etiology of hypertension due to, 763
— ischemia, hypertension due to, depressor effect of spleno-reno-pexy, 345
—, perfusion with reduced pulse pressure, liberation of renin, 201

LIGHT, ultraviolet, use in preparing non-virulent antirabies vaccine, 437
Lung, coccidioidomycosis, primary, infection with *Coccidioides immitis*, 167
— lesions, secondary, in pneumococcus pneumonia in dog, production by intratracheal and intrabronchial injection of fluid pneumonic exudate, 275
— lesions, secondary, in pneumococcus pneumonia in dog, relation of bronchial obstruction and distribution of pneumococci to inception, 261
Lymphocytic choriomeningitis, soluble antigen and inactive virus, rôle in immunity to infection, independence of anti-soluble substance antibodies and neutralizing antibodies, 389
— choriomeningitis virus, infection by application to normal skins, 331

MALARIA antibodies, occurrence in human serum after induced infection with *Plasmodium knowlesi*, 21
Man, allergy, skin sensitive type, placental transmission of antibodies, 611
—, influenza, and canine distemper, viruses, synergism in ferrets, 247
—, influenza virus, complement-fixing antigen, electrophoresis, 11
—, serum, occurrence of malaria antibodies in, after induced infection with *Plasmodium knowlesi*, 21
Meningitis, chorio-, lymphocytic, soluble antigen and inactive virus, rôle in immunity to infection, independence of anti-soluble substance antibodies and neutralizing antibodies, 389

Meningitis, chorio-, lymphocytic, virus, infection by application to normal skins, 331
Metabolism of kidney tissue and renal arterial blood pressure in hypertension, 289
Myxomatosis, infectious, of rabbits, second soluble antigen associated with, 129

NEPHRITIS, mechanism of production in rabbits injected with nephrotoxic duck serum, 559
Nephrotoxic duck serum, mechanism of production of nephritis in rabbits injected with, 559
Nerves, medullated, and brain, tissue specificity shown by passive anaphylaxis, 499
Neurotropic tendency in strains of epidemic influenza virus, 717
— viruses, factors affecting infection with, 573
Nicotinic acid, sulfapyridine, and coenzymes, relation to growth of *Staphylococcus aureus*, 91
Nucleic acid obtained from vaccine virus, properties, 139
Nutritional cytopenia in monkeys receiving Goldberger diet, 463

PAPILLOMA virus and antibody, union *in vitro*, 531
Papillomas, rabbit, virus-induced, extracts, identity of inhibitor and antibody in, 175
Pathogenesis and characteristics of encephalomyelitis virus of mice, 49
— of pneumococcus pneumonia in dog, production of secondary pulmonary lesions by intratracheal and intrabronchial injection of fluid pneumonic exudate, 275
— of pneumococcus pneumonia in dog, relation of bronchial obstruction and distribution of pneumococci to inception of secondary pulmonary lesions, 261
Perfusion of kidneys, with reduced pulse pressure, liberation of renin, 201
Picric acid, mode of sensitization of animals to, and subsidiary agents, 361
Placental transmission of antibodies in skin sensitive type of human allergy, 611
Plasma from hypertensive patients and dogs, vasoconstrictor action, 301
— protein and hemoglobin, simultaneous production during continued bleeding as influenced by diet protein and other factors, 479
Plasmodium knowlesi, induced infection, occurrence of malaria antibodies in human serum after, 21
Pneumococcal infection, immunity with antigens containing synthetic saccharides, 33
Pneumococcus pneumonia in dog, pathogenesis, production of secondary pulmonary lesions by intratracheal and intrabronchial injection of fluid pneumonic exudate, 275
— pneumonia in dog, pathogenesis, relation of bronchial obstruction and distribution of pneumococci to inception of secondary pulmonary lesions, 261
Pneumonia in mongoose caused by virus from patients with pneumonitis, 595
—, pneumococcus, in dog, pathogenesis, production of secondary pulmonary lesions by intratracheal and intrabronchial injection of fluid pneumonic exudate, 275
—, pneumococcus, in dog, pathogenesis, relation of bronchial obstruction and distribution of pneumococci to inception of secondary pulmonary lesions, 261
Pneumonitis, virus causing pneumonia in mongoose recovered from patients with, 595
Poliomyelitis virus, murine strain, in cotton rats and white mice, 407
Precipitation of transmissible agent of Rous Chicken Sarcoma I, with basic proteins, 697
Prostate glands, normal and hyperplastic, effect of castration and estrogen injection, 747

Prostatic secretion, effect of castration and estrogen injection on normal and hyperplastic prostate glands, 747
Protein, plasma, and hemoglobin, simultaneous production during continued bleeding as influenced by diet protein and other factors, 479
Proteins, basic, precipitation of transmissible agent of Rous Chicken Sarcoma I, 697
Pulse pressure, reduced, liberation of renin by perfusion of kidneys, 201

RABIES, anti-, vaccine, non-virulent, use of ultraviolet light in preparation, 437
— virus, influence of age factors on immunizability of mice, 453
— virus, influence of age factors on susceptibility of mice, 445
Radiation, ultraviolet, antigenic potency of epidemic influenza virus after inactivation by, 729
Renal. *See* Kidney.
Renin, liberation by perfusion of kidneys after reduction of pulse pressure, 201
Rous Chicken Sarcoma I, transmissible agent, precipitation with basic proteins, 697

SACCHARIDES, synthetic, antigens containing, immunity to pneumococcal infection, 33
Sarcoma I, chicken, Rous, transmissible agent, precipitation with basic proteins, 697
Secretion, prostatic, effect of castration and estrogen injection on normal and hyperplastic prostate glands, 747
Sensitivity, skin, type of human allergy, placental transmission of antibodies, 611
Sensitization of animals with simple chemical compounds, 361
Serum, duck, nephrotoxic, mechanism of production of nephritis in rabbits injected with, 559
Serum, human, occurrence of malaria antibodies in, after induced infection with *Plasmodium knowlesi*, 21
Skin sensitive type of human allergy, placental transmission of antibodies, 611
Skins, normal, infection by application of lymphocytic choriomeningitis virus to, 331
Specific blood group B substance, isolation, 663
Specificity, tissue, of brain and medullated nerves, shown by passive anaphylaxis, 499
Spleno-reno-pexy, depressor effect on hypertension due to renal ischemia, 345
Staphylococcus aureus growth, relation of sulfapyridine, nicotinic acid, and coenzymes, 91
— enterotoxin, mechanism of vomiting produced by, 669
Sulfapyridine, nicotinic acid, and coenzymes, relation to growth of *Staphylococcus aureus*, 91
Sulfonamide drugs, bacteriostatic action inhibited by animal and bacterial substances, 217
Susceptibility of fetal and postnatal guinea pigs to epidemic influenza virus, 623
— of mice to rabies virus, influence of age factors, 445

TEMPERATURE, effect on growth of frog carcinoma, direct microscopic observations on living intraocular transplants, 321
Theiler's virus in intestines of mice, 113
Tissue, kidney, metabolism, and renal arterial blood pressure, in hypertension, 289
— specificity of brain and medullated nerves shown by passive anaphylaxis, 499
Tissues, embryonic, chick, roller tube cultures, prolonged coexistence of vaccinia virus in high titer and living cells, 367

Transmissible agent of Rous Chicken Sarcoma I, precipitation with basic proteins, 697
— agent, Theiler's virus, in intestines of mice, 113
Transmission of infectious catarrh of albino rat in relation to rôle of *Actinobacillus muris*, 645
—, placental, of antibodies in skin sensitive type of human allergy, 611
Transplantation, hetero-, of frog carcinoma, character of growth in eyes of alien species, 311
Transplants, intraocular, living, frog carcinoma, direct microscopic observations on effect of temperature on growth, 321

ULTRACENTRIFUGATION and electrophoresis, mixtures of elementary bodies of vaccinia and coated collodion particles studied by means of, 523
Ultraviolet light, use in preparing non-virulent antirabies vaccine, 437
— radiation, antigenic potency of epidemic influenza virus after inactivation by, 729

VACCINE, antirabies, non-virulent, use of ultraviolet light in preparation, 437
Vaccinia, elementary bodies, and coated collodion particles, mixtures, ultracentrifugal and electrophoretic studies, 523
—, elementary bodies, constituents, 139
—, elementary bodies, effect of purified enzymes, 685
—, elementary bodies, electrophoretic studies, 511
— virus in high titer and living cells, prolonged coexistence in roller tube cultures of chick embryonic tissues, 367
— virus, propagation in rabbit fetus, 99
Vasoconstrictor action of plasma from hypertensive patients and dogs, 301
Virulence, non-, antirabies vaccine, use of ultraviolet light in preparation, 437
Virus causing pneumonia in mongoose, recovered from patients with pneumonitis, 595
—, encephalomyelitis, mouse, method for measurement of activity, 69
—, encephalomyelitis, mouse, pathogenesis and characteristics, 49
—, inactive, lymphocytic choriomeningitis, and soluble antigen, rôle in immunity to infection, and independence of anti-soluble substance antibodies and neutralizing antibodies, 389
—, influenza, epidemic, antigenic potency after inactivation by ultraviolet radiation, 729
—, influenza, epidemic, comparative susceptibility of fetal and postnatal guinea pigs, 623
—, influenza, epidemic, homologous and heterologous active immunity, 635
—, influenza, epidemic, nature and properties of complement-fixing antigen, 233
—, influenza, epidemic, neurotropic tendency, 717
—, influenza, human, complement-fixing antigen, electrophoresis, 11
—, lymphocytic choriomeningitis, infection by application to normal skins, 331
—, papilloma, and antibody, union *in vitro*, 531
—, poliomyelitis, murine strain, in cotton rats and white mice, 407
—, rabies, influence of age factors on immunizability of mice, 453
—, rabies, influence of age factors on susceptibility of mice, 445
—, Theiler's, in intestines of mice, 113
—, vaccine, properties of nucleic acid obtained from, 139
—, vaccinia, in high titer, and living cells, prolonged coexistence in roller tube cultures of chick embryonic tissues, 367

Virus, vaccinia, propagation in rabbit fetus, 99
Viruses, human influenza and canine distemper, synergism in ferrets, 247
—, neurotropic, factors affecting infection with, 573
Virus-induced rabbit papillomas, extracts, identity of inhibitor and antibody in, 175
Vitamin B_2 complex, choline rôle, 1
Vomiting produced by staphylococcus enterotoxin, mechanism, 669